



Kao Chemicals GmbH

Member of Kao Chemicals Europe

Kupferstraße 1, 46446 Emmerich am Rhein, Germany

Phone : +49 (0)2822 711-0 e-mail : sales@kaochemicals.de

Fax : +49 (0)2822 711-201 web : www.kaochemicals-eu.com



APROVADO

Dep. Qualidade

AKYPO® LF 2


ANIONIC, LOW FOAMING SURFACTANT

- HYDROTROPIC PROPERTIES
- ACID-, ALCALINE- AND ELECTROLYTE STABLE
- REDUCED FOAMSTABILITY WHEN COMBINED WITH FOAMING SURFACTANTS
- SOLUBILISER FOR METALWORKING FLUIDS

IN FORMULATIONS:

- HARDWATER STABILITY
- MILDNESS TO THE SKIN
- OVERALL PHYSICO-CHEMICAL STABILITY
- SUPPORT OF THE CORROSION PREVENTION

CHEMICAL IDENTIFICATION



INCI NAME : CAPRYLETH-9 CARBOXYLIC ACID
 CAS NUMBER : 53563-70-5
 MOLECULAR WEIGHT (g/mol) : approx. 547

TECHNICAL SPECIFICATIONS

		Kao Methode
COLOUR (APHA; mgPt/L) :	max. 200	ISO 6271
ACTIVE MATTER (%), (100-H ₂ O-NaCl) :	min. 87.5	C-1000
WATER (KF; %) :	8.0 - 11.0	ISO 760:1978
CHLORIDE (as NaCl; %) :	max. 1.2	DGF H-III 9
ACID VALUE (mg KOH/g) :	90.0 - 102.0	ISO 660 : 1983
pH – VALUE (10% in WATER) :	1.5 - 2.5	DGF H-III 1



AKYPO® LF 2

TYPICAL PROPERTIES

APPEARANCE (25 °C) :	CLEAR, ALMOST COLOURLESS TO SLIGHTLY YELLOWISH LIQUID
IONIC NATURE :	ANIONIC / NONIONIC (DEPENDING ON pH-VALUE)

PROCESSING

THE PRODUCT IS EASILY PROCESSABLE IN AQUEOUS AS WELL AS IN OIL-BASED FORMULATIONS.
PROCESS RECOMMENDATIONS ARE AVAILABLE UPON REQUEST.

STORAGE – HANDLING

- PRODUCT IS AVAILABLE PACKED IN DRUMS (210 KG) AND IN CONTAINERS (950 KG).
- RECOMMENDED STORAGE TEMPERATURE BETWEEN 15 AND 40 °C IN UNOPENED PACKAGING.

IT IS BASICALLY RECOMMENDED TO USE THE WHOLE CONTENT OF THE PACKAGING AT ONCE.

The information and recommendations in this publication are to the best of our knowledge reliable. However, nothing herein is to be construed as a warranty or representation. Users should make their own tests to determine the applicability of such information or the suitability of any products for their own particular purpose.

Statements concerning the use of the products described herein are not to be construed as recommending the infringement of any patent and no liability for infringement arising out of any such use is assumed.

