

PRODUCT: Trichlorisocyanuric Acid Granular

EDITION: February 2008

REVISION: 3 – February 2015

SPECIFICACIONES

CHARACTERISTICS	VALUE	UNITS	METHOD*
Available chlorine	90,0 min.	% p/p	DS01PF01.7100
Moisture	0,2 max.	% p/p	DS01PF01.0020

^(*) The Company's internal procedures are based partly or fully on analytical reference methods (ISO, ASTM).

TYPICAL VALUE

Aspect	White granular
pH (1 % solution)	2,7 – 3,3
Solubility in water at 25°C	12 g / l of water
Bulk density	1.000 kg/m ³
Particle-size	
On 2000 microns sieve	Maximum 2%
Thru 150 microns sieve	Maximum 2%

OTHERS

Applications :

- Swimming-pool water treatment disinfection.
- Water treatment for cooling-towers
- Dry bleach formulations.
- Dishwashing and detergent formulations.

Treatment :

With the pH of the water adjusted between 7,2 - 7,6, dissolve the product in some water and incorporate it to the pool.

SHOCK CHLORINATION: 5-10 grams for each m³ of water.

MAINTENANCE CHLORINATION: 1-2 grams for each m³ of water every day.


These doses are approximates. The residual chlorine will be located ideally between 0,8 - 1,2 mg/l (or in the values that it marks the normative one applicable), value that will be measured easily using an analyzing kit for Chlorine and pH. This control should be made daily as minimum.

For further information, please refer to the material safety data sheet.


USUAL PACKAGING

As per customer order.

APPROVED BY QUALITY FACTORY



APPROVED BY COMMERCIAL MANAGEMENT



PGC.E.01.F01
(PGC.E.01 - Rev. 7)